

石油实验地质

2016年(第38卷)总目次

第1期

盆地·油藏

- 下扬子区伸展拆离构造 丁道桂,罗开平,刘光祥,吕俊祥(1)
- 下扬子海相烃源结构与有效烃源 罗开平,叶德燎,周凌方,彭金宁,陆永德,吕俊祥(9)
- 西藏羌塘盆地抬升冷却历史及意义 任战利,崔军平,刘池洋,李铁军,陈刚,陈占军,祁凯,豆霜(15)
- 苏北盆地高邮凹陷戴南组物源—坡折控扇研究 刘玉瑞(23)
- 银额盆地查干凹陷油藏特征及油气成藏过程 牛子铖,柳广弟,曹喆,王朋,常俊合,张凯迪(32)
- 断陷盆地内构造带对油气聚集的控制作用——以海拉尔盆地霍多莫尔构造带为例 崔鑫,李江海,姜洪福,杨少英,李维波,马丽亚(40)
- 泌阳凹陷深凹区核三上段页岩层脆性矿物预测及分布 黄新,胡守志,李水福,吕倩(48)
- 潮湿环境下典型碳酸盐岩缝洞系统充填模式探讨 曹建文,夏日元,张庆玉,梁彬,邹胜章(56)
- 鄂尔多斯盆地长7段致密油成藏物性下限研究 吴康军,刘洛夫,徐正建,窦文超,罗安湘,付金华,谭先锋(63)
- 土库曼斯坦阿姆河右岸地区盐下碳酸盐岩气藏类型及油气富集因素 聂明龙,童晓光,刘群明,徐树宝,吴蕾,陈骁帅,糕喜准(70)
- 伊拉克中部白垩系油藏油源及运移特征 杜洋,崔焱,郑丹,汪娟,辛军,王自明,王海峰,黄婷婷(76)

油气地球化学

- 塔里木盆地西南部皮山北新1井白垩系油气成因 吕海涛,顾忆,丁勇,黄继文(84)
- 羌塘盆地白垩系黑色岩系生烃母质研究 承秋泉,杨若飞,胡广,付修根,曹剑(91)
- 塔里木盆地玉北地区蓬莱坝组鞍形白云石地球化学特征 焦健,李映涛,张哨楠,黄擎宇,叶宁,袁晓宇(99)

方法·技术

- 岩性差异变化对断层带结构影响的物理模拟 单亦先,劳海港,王永诗,陈建平(108)
- 走滑断裂特征对油气勘探方向的选择——以塔中北坡顺1井区为例 李萌,汤良杰,李宗杰,甄素静,杨素举,田亚杰(113)
- 沾化凹陷埕南北部陡坡带深层扇体控砂机理及储层评价 刘军铨,解习农,孟涛,杜学斌(122)
- 应用包裹体技术恢复气藏古压力 施伟军,席斌斌(128)
- X射线小角散射法研究页岩成熟演化过程中孔隙特征 田华,张水昌,柳少波,高原,张洪,王茂桢,郝加庆,郑永平,张涛(135)
- 概率统计法在页岩气储量静态评估中的应用 张玲,李军,卢泉杰,邱韵,庄丽,陈萍(141)

综合信息

- 中国石化无锡石油地质研究所实验地质技术之傅立叶变换离子回旋共振质谱分析技术 (封二)
- 《石油实验地质》征稿简则 (封三)

第2期

盆地·油藏

- 塔里木盆地西部海西中期抬升事件及其对沉积—构造格局的影响 郭书元,詹伟,黄太柱,蔡习尧(147)
- 塔里木盆地北部跃参区块走滑断裂对油气成藏的控制 田鹏,马庆佑,吕海涛(156)
- 库车坳陷依南地区阿合组致密砂岩气储层特征与有利区带预测 康海亮,林畅松,李洪辉,王开忠(162)
- 塔里木盆地沙雅隆起与柯坪露头中上奥陶统地层对比及烃源岩分布 刘存革,李国蓉,罗明霞,邵小明,罗鹏,刘永立,高利君(170)
- 阿尔金南缘山前侏罗系页岩气地质特征 李伟奇,康志宏,周磊,童雪飞,皇甫静静(178)
- 东秦岭—大别造山带中生代盆地构造特征与形成机制 张森,云金表(183)
- 莺歌海盆地砂质块体搬运沉积及其天然气聚集 张迎朝,王立锋,李绪深,钟泽红,詹治萍,徐涛(189)

川南地区下寒武统筇竹寺组页岩储层特征 王 同,熊 亮,徐 猛,董晓霞,周瑞琦,付晓宁(197)

不同泥岩相有机质赋存特征及对比表面积的影响——以渤海湾盆地沾化凹陷古近系为例 刘伟新,朱晓军,马安林,蔡进功,卢龙飞(204)

江汉盆地潜江凹陷潜江组盐间页岩油储层矿物组成与脆性特征研究 王芙蓉,何 生,郑有恒,侯宇光,吴世强(211)

超深层致密砂岩储层致密初始期的厘定——以中东鲁卜哈里盆地为例 姜 辉,樊生利,赵应权,张哨楠,周 瑾,刘志强(219)

伊拉克哈勒法耶油田塞迪组碳酸盐岩储层特征及高孔低渗成因分析 王昱翔,周 文,郭 睿,伏美燕,沈忠民,赵丽敏,陈文玲(224)

油气地球化学

渤南洼陷页岩生烃组分动力学分析及其对页岩油气勘探的意义 ... 蒋启贵,申宝剑,仰云峰,李志明,马媛媛,钱门辉(231)

烃源岩人工模拟过程中苯并藿烷的成熟度指示 宋晓莹,张彩明,郑伦举,张 渠,承秋泉(240)

塔河油田西北部于奇西 1 井奥陶系中—轻质原油地化特征及成因探讨 罗明霞,夏永涛,邵小明,刘永立(244)

四川盆地南江栖霞组白云岩岩石学、地球化学特征及成因 李小宁,黄思静,黄树光,黄可,袁 桃,罗 文(251)

松辽盆地梨树断陷金山地区天然气地球化学特征及其地质意义 路清华,顾 忆,宋振响,周卓明,李 旻(259)

塔里木盆地喀什凹陷烃源岩地球化学特征和油源对比 孟苗苗,康志宏,徐耀辉,于 超,刘 琪(266)

方法·技术

盐湖盆地复杂岩性区储层预测方法研究——以江汉盆地潜江凹陷为例 罗 劲,李铭华,郭丽彬,钟庆良,孔金平,查光煜(273)

手持式 X 荧光光谱仪在济阳拗陷古近系陆相页岩岩心分析中的应用 马晓潇,黎茂稳,庞雄奇,黄振凯,蒋启贵,李志明,曹婷婷,李 政(278)

综合信息

中国石化无锡石油地质研究所实验地质技术之页岩高压等温吸附技术 (封二)

《石油实验地质》征稿简则 (封三)

第 3 期

盆地·油藏

裂谷与被动陆缘叠合盆地的盐构造与油气成藏——以西非下刚果—刚果扇盆地和宽扎盆地为例 孙自明,何治亮(287)

陆相碎屑岩中钙质胶结物沉淀机制及油气储集意义——来自济阳拗陷孔店组和川西须家河组的对比研究 谭先锋,蒋 威,吴康军,王 浩,徐田堃,陈苏军,冉 天(293)

川西拗陷陆相脉冲式波动“二元”层序特征研究 张 庄,叶素娟,杨克明,朱宏权,杨映涛,李 旻,张世华(303)

川东南寒武系娄山关群白云岩成岩作用特征 江文剑,侯明才,邢凤存,徐胜林,林良彪(311)

川东南五峰—龙马溪组页岩储层六性特征及主控因素分析 张汉荣,王 强,倪 楷,李春燕(320)

塔里木盆地西南拗陷东部构造特征及对油气成藏的控制 何 娟,王 毅,刘士林,何登发(326)

塔里木盆地麦盖提斜坡构造样式分析 史 政,徐征遥(333)

美国俄克拉荷马州伍德福德页岩甜点控制因素研究 高占京,郑和荣,黄 韬(340)

荆门地区页岩储层吸附特征及吸附势理论应用 岳长涛,李术元,李林玥,温海龙(346)

俄罗斯季曼—伯朝拉盆地碳酸盐岩油气藏特征分析——以 Trebs 和 Titov 油气田为例 杨士伟,史丹妮(354)

伊拉克米桑油田群 Mishrif 组 MB₂ 段碳酸盐岩储层特征及成因 张义楷,康 安,闵小刚,李志明,李伟超,高慧君(360)

油气地球化学

四川盆地西部中三叠统雷口坡组烃源岩生烃潜力分析 杨克明(366)

风化作用对高演化黑色岩系有机质影响因素分析——以塔里木盆地柯坪地区玉尔吐斯组为例 陶国亮,申宝剑,腾格尔,仰云峰,徐二社,潘安阳(375)

伦坡拉盆地始新统牛堡组烃源岩成熟史 潘 磊,曹 强,刘一茗,李一腾,汪 岩,李智泉(382)

方法·技术

核磁共振与高压压汞实验联合表征致密油储层微观孔喉分布特征 公言杰,柳少波,赵孟军,谢红兵,刘可禹(389)

深埋砂岩储层长石溶孔率定量计算的新方法及应用——以鄂尔多斯盆地陇东地区长 8₁ 储层为例 杨友运,刘喜强,孙 睿(395)

油页岩不同温度原位热解物性变化核磁共振分析 李广友,马中良,郑家锡,鲍 芳,郑伦举(402)

基于 X-CT 技术对黔西滇东区域煤储层物性特征的研究 熊 波,刘 坤,郭 凯,赵广民(407)

塔里木盆地志留系碎屑岩孔隙成因类型定量分析——以顺9井柯坪塔格组为例 张永东,王恕一(413)
 微米CT在烃源岩微观结构表征方面的应用 黄振凯,陈建平,王义军,王华建,邓春萍(418)

综合信息

中国石化无锡石油地质研究所实验地质技术之油气微生物检测技术 (封二)
 《石油实验地质》征稿简则 (封三)

第4期

页岩油气

泥页岩中有机质的赋存形态与油气形成 徐旭辉,郑伦举,马中良(423)
 泥页岩不同介质中可溶有机质组成差异性及其对页岩油富集的意义 朱景修(429)
 埋藏条件下页岩气赋存形式研究 俞凌杰,范明,腾格尔,刘友祥(438)
 四川盆地及周缘下寒武统页岩气成藏主控因素与勘探方向 燕继红,李启桂,朱祥(445)
 川东南志留系龙马溪组页岩储层微孔隙结构及连通性研究 刘伟新,鲍芳,俞凌杰,张文涛,张庆珍,卢龙飞,范明(453)
 川东南涪陵地区五峰—龙马溪组硅质页岩的生物成因及其油气地质意义 卢龙飞,秦建中,申宝剑,腾格尔,刘伟新,张庆珍(460)
 川东南志留系龙马溪组页岩沥青反射率和笔石反射率的应用 仰云峰(466)
 川东南页岩气储层脉体中包裹体古压力特征及其地质意义 席斌斌,腾格尔,俞凌杰,蒋宏,申宝剑,邓模(473)
 四川盆地焦石坝构造区页岩有机质特征及其成烃能力探讨——以焦页1井五峰—龙马溪组为例 申宝剑,仰云峰,腾格尔,秦建中,潘安阳(480)
 济阳拗陷古近系泥页岩岩石学特征对可压性的影响 郝运轻,宋国奇,周广清,李政,王伟庆,李博,张存霞(489)
 渤海湾盆地辽河西部凹陷陆相页岩油气富集条件与分布模式 单衍胜,张金川,李晓光,毕彩芹,唐跃,袁远(496)
 内蒙古索伦地区二叠系哲斯组泥岩微孔隙特征 李世臻,周新桂,王丹丹,张交东,林燕华,曾秋楠,张文浩(502)
 页岩对甲烷的吸附作用及其固气效应初步研究——以渝东南残留向斜为例 鲍云杰,邓模,翟常博,刘友祥,吕俊祥,俞凌杰,曹涛涛(509)
 岩石学方法区分页岩中有机质类型 赵建华,金之钧,金振奎,杜伟,温馨,耿一凯(514)

致密油气

鄂尔多斯盆地苏里格气田东区储层含气物性下限分析 陈占军,任战利,王树慧,刘平,薛雯,邓亚仁,祁凯,曹展鹏(521)
 鄂尔多斯盆地晚三叠世湖盆中部延长组长7储层致密化因素分析 时保宏,黄静,陈柳,杨帆,吕剑文(528)
 致密砂岩油可动量及其主控因素——以鄂尔多斯盆地三叠系延长组长7为例 崔景伟,朱如凯,李士祥,杨智,张忠义(536)
 致密砂岩储层成岩作用及其控制因素分析——以塔里木盆地顺托果勒地区志留系柯坪塔格组下段为例 张涵冰,彭军,杨素举,鲁明,夏青松,李斌(543)
 二连盆地阿南凹陷白垩系腾一下段致密油有效储层物性下限研究 张以明,付小东,郭永军,寿建峰,周进高,李彬,张天付,蓝宝峰(551)

综合信息

中国石化无锡石油地质研究所实验地质技术之烃类垂向微渗漏模拟实验技术 (封二)
 《石油实验地质》征稿简则 (封三)

第5期

盆地·油藏

华北地台东部中奥陶世岩相古地理特征 林玉祥,朱传真,赵承锦,吴玉琛,李佳,李秀芹(559)
 精细油藏描述研究中的几个问题探讨 陈欢庆,石成方,曹晨(569)
 油气优势运移通道形成“三要素”分析——以苏北盆地高邮凹陷XJZ油田为例 李鹤永,田坤,邱旭明,刘启东,刘震,宋丽艳(577)
 渭河盆地结构及其油气成藏地质条件 刘志武,白勇,周立发(584)
 利用油田开发资料重新认识油气成藏——以渤海湾盆地南堡35-2油田馆陶组为例 全洪慧,陈建波,别旭伟,张章,张振杰(592)
 东营三角洲前缘坡移扇储集体特征及成因研究 王伟锋,胡瑜,于正军,陈杰,单晨晨,张晓杰(600)
 准噶尔盆地西缘车排子地区侏罗系储层特征及控制因素 操应长,姜伟,王艳忠,金杰华,徐涛,葱克来,陈林(609)

珠江口盆地陆架坡折区地层岩性圈闭形成条件及发育模式——以珠江组地层为例 陈维涛,施和生,杜家元,何敏(619)

渤海湾盆地南堡凹陷西南庄断层分段特征及演化 孙思敏,季汉成,王健伟,章惠,陈亮(628)

超深层油气藏石油地质特征及其成藏主控因素分析 黄娟,叶德燎,韩或(635)

油气地球化学

鄂尔多斯盆地杭锦旗地区上古生界烃源岩热演化特征模拟研究 赵桂萍(641)

鄂尔多斯盆地南缘奥陶系露头沥青地球化学特征与意义 金晓辉,孙润轩,陈霞,孙宜朴,张军涛,李淑筠(647)

受生烃母质控制的干酪根及其热解产物稳定碳同位素分布模式 刘虎,廖泽文,戚明辉,张海祖,杜军艳,杨珊(652)

松辽盆地昌德无机气藏近地表地球化学勘探实验研究 陈银节,汤玉平,黄欣(659)

不同模拟实验条件下烃源岩生气能力对比及意义 张彩明,郑伦举,许锦(665)

烃源岩热模拟实验中重排藿烷类化合物变化特征及其意义 陈菊林,张敏(672)

方法·技术

芳烃参数重建原油成熟度及其在哈山地区的应用 郭瑞超,隋凤贵,曾治平,王超(679)

原油中的石油酸组分全二维气相色谱/飞行时间质谱分析 马媛媛,蒋启贵,宋晓莹,钱门辉,刘鹏(685)

原油中C₂₆-C₂₈三芳甾烷相对含量计算方法及其应用 张宝收,李美俊,赵青,王铁冠,张科,肖中尧,黄少英(692)

多层圈闭资源量计算方法研究——以两层圈闭为例 杨双,闫相宾,刘志鹏,蔡利学,马晓娟(698)

综合信息

中国石化无锡石油地质研究所实验地质技术之高精度油气地球化学勘探技术 (封二)

《石油实验地质》征稿简则 (封三)

第6期

盆地·油藏

中国中西部大型盆地差异演化与碎屑岩油气响应 方成名,黄泽光(703)

下扬子区海相盆地改造与成藏关键要素 罗开平,黄泽光,吕俊祥,彭金宁,陆永德,周凌方(713)

苏北后生—同生断陷盆地油气成藏规律研究 刘玉瑞(721)

扬子地区古生界泥岩吸附性及控制机理 徐良伟,刘洛夫,刘祖发,孟召平(732)

川东北陆相储层裂缝特征差异性及其对产能的影响 黎静容,朱桦,冯晓明,程洪亮,颜晓(742)

新场气田储层裂缝特征及其与动态气水分布的关系 王丹丹,李浩,赵向原,吉明艳(748)

北部湾盆地乌石凹陷东区流沙港组三段储层物性主控因素及分布规律 曾小明,邹明生,张辉,于佳,陈晓武,莫冯阳(757)

塔东北草湖地区差异构造变形特征与动力学过程探讨 田蜜,赵永强,罗宇,马玉春,周雨双,张根法(765)

羌塘盆地南部布曲组含油白云岩中自生文石胶结物的鉴定及其成因探讨 张帅,伊海生,夏国清,梁定勇(772)

渤海湾盆地车镇凹陷南坡碳酸盐岩分布主控因素 林红梅(779)

西沙海域新近纪生物礁的发育演化及控制因素 杨振,张光学,张莉,夏斌(787)

火山—碎屑充填盆地的层序地层学研究——以松辽盆地长岭断陷为例 王苗,陆建林,左宗鑫,王保华,李浩,张彦霞(796)

准噶尔盆地深层油气藏形成条件分析 白桦,庞雄奇,匡立春,庞宏,庞莹,周立明(803)

正牵引构造对冲积扇储层内部构型的控制作用 印森林,吴胜和,胡张明,吴小军,陈燕辉,任翔(811)

巴西圣埃斯皮里图盆地油气地质特征及勘探方向 谢华锋,周生友,惠冠洲(821)

油气地球化学

沉积条件下白云石与伴生方解石碳氧同位素组成的差别及影响因素 李小宁,黄思静,黄可可,钟怡江,胡作维(828)

高温水热增压实验研究及地质启示 郭志峰,刘震,刘鹏,柳万春(836)

方法·技术

不同赋存状态页岩油定量表征技术与应用研究 蒋启贵,黎茂稳,钱门辉,李志明,李政,黄振凯,张彩明,马媛媛(842)

致密储层样品体积测量对孔隙度误差的影响 陈思宇,田华,柳少波,李才喜,郝加庆,郑永平(850)

综合信息

欢迎订阅2017年《石油实验地质》、《油气地质与采收率》期刊 (封二)

《石油实验地质》征稿简则 (封三)

2016年总目次 (I)

PETROLEUM GEOLOGY & EXPERIMENT

Vol.37 2015

CONTENTS

No.1

- Extensional detachment structures in the Lower Yangtze region ... *Ding Daogui, Luo Kaiping, Liu Guangxiang, Lü Junxiang*(1)
- Composition and effectiveness of marine hydrocarbon sources in the Lower Yangtze area *Luo Kaiping, Ye Deliao, Zhou Lingfang, Peng Jinning, Lu Yongde, Lü Junxiang*(9)
- Uplift and cooling history of Qiangtang Basin and its significance *Ren Zhanli, Cui Junping, Liu Chiyang, Li Tiejun, Chen Gang, Chen Zhanjun, Qi Kai, Dou Shuang*(15)
- Sediment sources and slope belt controlling fan systems in the Dainan Formation in Gaoyou Sag, North Jiangsu Basin *Liu Yurui*(23)
- Reservoir characteristics and hydrocarbon accumulation in Chagan Sag, Yingen-Ejinaqi Basin *Niu Zicheng, Liu Guangdi, Cao Zhe, Wang Peng, Chang Junhe, Zhang Kaidi*(32)
- Hydrocarbon accumulation in rifted basin tectonic units: A case study of Huoduomoer tectonic zone in the Hailaer Basin *Cui Xin, Li Jianghai, Jiang Hongfu, Yang Shaoying, Li Weibo, Ma Liya*(40)
- Forecast and distribution of brittle minerals in shales from the upper section of the third member of Hetaoyuan Formation in the deep sag area of the Biyang Depression *Huang Xin, Hu Shouzhi, Li Shuifu, Lü Qian*(48)
- Typical filling models of a fractured-vuggy system in carbonate rocks under a moist environment *Cao Jianwen, Xia Riyuan, Zhang Qingyu, Liang Bin, Zou Shengzhang*(56)
- Lower limits of pore throat radius, porosity and permeability for tight oil accumulations in the Chang7 Member, Ordos Basin *Wu Kangjun, Liu Luofu, Xu Zhengjian, Dou Wenchao, Luo Anxiang, Fu Jinhua, Tan Xianfeng*(63)
- Types of pre-salt carbonate gas reservoirs and hydrocarbon enrichment factors of Amu Darya right bank area in Turkmenistan *Nie Minglong, Tong Xiaoguang, Liu Qunming, Xu Shubao, Wu Lei, Chen Xiaoshuai, Zhuo Xizhun*(70)
- Oil sources and migration characteristics of Cretaceous reservoirs in the Central Iraq *Du Yang, Cui Yi, Zheng Dan, Wang Juan, Xin Jun, Wang Ziming, Wang Haifeng, Huang Tingting*(76)
- Cretaceous petroleum origin in well PSBX1 in the southwestern Tarim Basin *Lü Haitao, Gu Yi, Ding Yong, Huang Jiwen*(84)
- Bio-precursors of Cretaceous black shales in the Qiangtang Basin, Tibet *Cheng Qiuquan, Yang Ruofei, Hu Guang, Fu Xiugen, Cao Jian*(91)
- Geochemical features of saddle dolomites in the Penglaiba Formation, Yubei area, Tarim Basin *Jiao Jian, Li Yingtao, Zhang Shaonan, Huang Qingyu, Ye Ning, Yuan Xiaoyu*(99)
- Physical simulation of the influence of lithological differences on fault zone structure *Shan Yixian, Lao Haigang, Wang Yongshi, Chen Jianping*(108)
- Fault characteristics and their petroleum geology significance: A case study of well Shun-1 on the northern slope of the central Tarim Basin *Li Meng, Tang Liangjie, Li Zongjie, Zhen Sujing, Yang Suju, Tian Yajie*(113)
- Mechanism of sand-control and quantitative evaluation of reservoir effectiveness in the northern steep slope of Chengnan area in the Zhanhua Sag *Liu June, Xie Xinong, Meng Tao, Du Xuebin*(122)
- Calculation of paleo-pressure in gas reservoirs using fluid inclusions *Shi Weijun, Xi Binbin*(128)
- Evolution of pores in shale during thermal maturation using Small Angle X-ray Scattering (SAXS) *Tian Hua, Zhang Shuichang, Liu Shaobo, Gao Yuan, Zhang Hong, Wang Maozhen, Hao Jiaqing, Zheng Yongping, Zhang Tao*(135)
- Probabilistic method applied to the static evaluation of shale gas reserves *Zhang Ling, Li Jun, Lu Quanjie, Qiu Yun, Zhuang Li, Chen Ping*(141)

No.2

- Uplift event in the middle Hercynian period and its influence on the sedimentary-tectonic pattern of the western Tarim Basin *Guo Shuyuan, Zhan Wei, Huang Taizhu, Cai Xiyao*(147)
- Strike-slip faults and their controls on hydrocarbon reservoirs in the Yuecan block of the Northern Tarim Uplift, Tarim Basin *Tian Peng, Ma Qingyou, Lü Haitao*(156)
- Reservoir characteristics and favorable zone prediction of tight sandstone gas of the Ahe Formation in Yinan area, Kuqa Depression *Kang Hailiang, Lin Changsong, Li Honghui, Wang Kaizhong*(162)
- Stratigraphic correlation and source rock distribution of the Middle-Upper Ordovician in the Shaya Uplift and Kalpin outcrop, Tarim Basin *Liu Cunge, Li Guorong, Luo Mingxia, Shao Xiaoming, Luo Peng, Liu Yongli, Gao Lijun*(170)
- Geological characteristics of the Jurassic shale gas play in the frontal area of the southern Altun Tagh *Li Weiqi, Kang Zhihong, Zhou Lei, Tong Xuefei, Huangfu Jingjing*(178)
- Mechanics and evolution of Mesozoic and Cenozoic basins in the East Qinling-Dabie Orogenic Belt *Zhang Miao, Yun JinBiao*(183)
- Sandy mass transport deposit model and its natural gas accumulation in the Yinggehai Basin *Zhang Yingzhao, Wang Lifeng, Li Xushen, Zhong Zehong, Zhan Yeping, Xu Tao*(189)

- Shale reservoir characteristics of the Lower Cambrian Qiongzhusi Formation in the southern Sichuan Basin
 *Wang Tong, Xiong Liang, Xu Meng, Dong Xiaoxia, Zhou Ruiqi, Fu Xiaoning* (197)
- Occurrence of organic matter in different mudstone lithofacies and its influence on specific surface area:
 A case study of the Paleogene in the Zhanhua Sag, Bohai Bay Basin
 *Liu Weixin, Zhu Xiaojun, Ma Anlin, Cai Jingong, Lu Longfei* (204)
- Mineral composition and brittleness characteristics of the inter-salt shale oil reservoirs in the Yujiang Formation,
 Qianjiang Sag *Wang Furong, He Sheng, Zheng Youheng, Hou Yuguang, Wu Shiqiang* (211)
- Initial porosity reduction phase of ultra-deep tight sandstone reservoirs: A case study of the Rub' Al Khali Basin
 in the Middle East *Jiang Hui, Fan Shengli, Zhao Yingquan, Zhang Shaonan, Zhou Jin, Liu Zhiqiang* (219)
- Characteristics and origin of high porosity and low permeability carbonate reservoirs in the Sa'di Formation,
 Halfaya Oil Field, Iraq
 *Wang Yuxiang, Zhou Wen, Guo Rui, Fu Meiyun, Shen Zhongmin, Zhao Liming, Chen Wenling* (224)
- Kinetic analysis of hydrocarbon generation components in shales from the Bonan sub-Sag and its significance for
 hydrocarbon exploration *Jiang Qigui, Shen Baojian, Yang Yunfeng, Li Zhiming, Ma Yuanyuan, Qian Menhui* (231)
- Benzohopane maturity index in source rock thermal simulation
 *Song Xiaoying, Zhang Caiming, Zheng Lunju, Zhang Qu, Cheng Qiuquan* (240)
- Geochemical characteristics and genetic analysis of Ordovician medium-light oils from well YQX1 in the northwest
 of Tahe Oil Field *Luo Mingxia, Xia Yongtao, Shao Xiaoming, Liu Yongli* (244)
- Petrology and geochemical characteristics and the origin of dolomites in the Qixia Formation in Nanjiang county of the
 Sichuan Basin *Li Xiaoning, Huang Sijing, Huang Shuguang, Huang Keke, Yuan Tao, Luo Wen* (251)
- Geochemical characteristics and geological significance of natural gas in Jinshan area of the
 Lishu Fault Depression *Lu Qinghua, Gu Yi, Song Zhenxiang, Zhou Zhuoming, Li Kuang* (259)
- Geochemical characteristics of source rocks and oil-source correlation in the Kashi Sag, Tarim Basin
 *Meng Miaomiao, Kang Zhihong, Xu Yaohui, Yu Chao, Liu Qi* (266)
- Methodology of reservoir prediction in areas with complicated lithology in saline lake basins: A case study of the
 Qianjiang Sag, Jianghan Basin *Luo Jin, Li Minghua, Guo Libin, Zhong Qingliang, Kong Jinping, Zha Guangyu* (273)
- Application of hand-held X-ray fluorescence spectrometry in the core analysis of Paleogene lacustrine shales in
 the Jiyang Depression
 *Ma Xiaoxiao, Li Maowen, Pang Xiongqi, Huang Zhenkai, Jiang Qigui, Li Zhiming, Cao Tingting, Li Zheng* (278)

No.3

- Salt tectonics and its relationship to hydrocarbon accumulation in salt basins with a lower rifted section and an
 upper continental marginal section: A case study of the Lower Congo-Congo Fan basins and the Kwanza
 Basin in West Africa *Sun Ziming, He Zhiliang* (287)
- Sedimentation mechanism and petroleum significance of calcareous cements in continental elastic rocks: Comparison
 between the Kongdian Formation in the Jiyang Depression and the Xujiache Formation in the western Sichuan Basin
 *Tan Xianfeng, Jiang Wei, Wu Kangjun, Wang Hao, Xu Tiankun, Chen Sujun, Ran Tian* (293)
- LST and T-HST featured by impulse in continental sequences in the Western Sichuan Depression
 *Zhang Zhuang, Ye Sujuan, Yang Keming, Zhu Hongquan, Yang Yingtao, Li Min, Zhang Shihua* (303)
- Diagenetic characteristics of dolomites in the Cambrian Loushanguan Group in southeastern Sichuan Basin
 *Jiang Wenjian, Hou Mingcai, Xing Fengcun, Xu Shenglin, Ling Liangbiao* (311)
- Six characteristics and main controlling factors of shale reservoirs in the Wufeng-Longmaxi formations, south-
 eastern Sichuan Basin *Zhang Hanrong, Wang Qiang, Ni Kai, Li Chunyan* (320)
- Characteristics of fault structure and its control on hydrocarbon accumulation in the eastern part of southwestern
 Tarim Basin *He Juan, Wang Yi, Liu Shilin, He Dengfa* (326)
- Structural pattern of the Maigaiti Slope in the Tarim Basin *Shi Zheng, Xun Zhengyao* (333)
- Attributes of sweet spots in the Devonian Woodford shales in Oklahoma, USA
 *Gao Zhanjing, Zheng Herong, Huang tao* (340)
- Adsorption characteristics of shale reservoirs in the Jingmen area and application of adsorption potential theory
 *Yue Changtao, Li Shuyuan, Li Linyue, Wen Hailong* (346)
- Characteristics of carbonate reservoirs in the Timan-Pechora Basin in Russia: The Trebs and Titov oil fields as
 examples *Yang Shiwei, Shi Danni* (354)
- Characteristics and genesis of carbonate reservoirs in the Mishrif MB₂¹ member in the Missan oil fields, Iraq
 *Zhang Yikai, Kang An, Min Xiaogang, Li Zhiming, Li Weichao, Gao Huijun* (360)
- Hydrocarbon potential of source rocks in the Middle Triassic Leikoupo Formation in the Western Sichuan
 Depression *Yang Keming* (366)
- Weathering effects on high-maturity organic matter in a black rock series: A case study of the Yuertusi Formation
 in Kalpin area, Tarim Basin *Tao Guoliang, Shen Baojian, Tenger Boltsjin, Yang Yunfeng, Xu Ershe, Pan Anyang* (375)
- Maturity history of source rocks in the Eocene Niubao Formation, Lunpola Basin
 *Pan Lei, Cao Qiang, Liu Yiming, Li Yiteng, Wang Yan, Li Zhiquan* (382)
- Characterization of micro pore throat radius distribution in tight oil reservoirs by NMR and high pressure mercury
 injection *Gong Yanjie, Liu Shaobo, Zhao Mengjun, Xie Hongbing, Liu Keyu* (389)

- A new method for the calculation of secondary porosity originating from the dissolution of feldspars in deeply buried formations and its application; A case study of the Chang 8₁ Formation in Longdong area, Ordos Basin *Yang Youyun, Liu Xiqiang, Sun Rui*(395)
- NMR analysis of the physical change of oil shales during in situ pyrolysis at different temperatures *Li Guangyou, Ma Zhongliang, Zheng Jiayi, Bao Fang, Zheng Lunju*(402)
- Characterization of the physical properties of coal reservoirs in the western Guizhou and eastern Yunnan by X-ray computed tomography *Xiong Bo, Liu Kun, Guo Kai, Zhao Guangmin*(407)
- Quantitative analysis of pore genetic types in the Silurian clastic rocks in the Tarim Basin: A case study of the Kepingtage Formation in well Shun9 *Zhang Yongdong, Wang Shuyi*(413)
- Application of micron CT in the characterization of microstructure in source rocks *Huang Zhenkai, Chen Jianping, Wang Yijun, Wang Huajian, Deng Chunping*(418)

No.4

- Organic matter occurrence and hydrocarbon generation in shale *Xu Xuhui, Zheng Lunju, Ma Zhongliang*(423)
- Composition difference of soluble organic matter in different media in mudstones and its significance for shale oil enrichment *Zhu Jingxiu*(429)
- Shale gas occurrence under burial conditions *Yu Lingjie, Fan Ming, Tenger, Liu Youxiang*(438)
- Main factors controlling shale gas accumulation and exploration targets in the Lower Cambrian, Sichuan Basin and its periphery *Yan Jihong, Li Qigui, Zhu Xiang*(445)
- Micro-pore structure and connectivity of the Silurian Longmaxi shales, southeastern Sichuan area *Liu Weixin, Bao Fang, Yu Lingjie, Zhang Wentao, Zhang Qingzheng, Lu Longfei, Fan Ming*(453)
- Biogenic origin and hydrocarbon significance of siliceous shale from the Wufeng-Longmaxi formations in Fuling area, southeastern Sichuan Basin ... *Lu Longfei, Qin Jianzhong, Shen Baojian, Tenger, Liu Weixin, Zhang Qingzhen*(460)
- Application of bitumen and graptolite reflectance in the Silurian Longmaxi shale, southeastern Sichuan Basin *Yang Yunfeng*(466)
- Trapping pressure of fluid inclusions and its significance in shale gas reservoirs, southeastern Sichuan Basin *Xi Binbin, Tenger, Yu Linjie, Jiang Hong, Shen Baojian, Deng Mo*(473)
- Characteristics and hydrocarbon significance of organic matter in shale from the Jiaoshiba structure, Sichuan Basin: A case study of the Wufeng-Longmaxi formations in well Jiaoye1 *Shen Baojian, Yang Yunfeng, Tenger, Qin Jianzhong, Pan Anyang*(480)
- Influence of petrological characteristics on fracability of the Paleogene shale, Jiyang Depression *Hao Yunqing, Song Guoqi, Zhou Guangqing, Li Zheng, Wang Weiqing, Li Bo, Zhang Cunxia*(489)
- Hydrocarbon enrichment conditions and distribution in continental shale, West Liaohe Sag, Bohai Bay Basin *Shan Yansheng, Zhang Jinchuan, Li Xiaoguang, Bi Caiqin, Tang Yue, Yuan Yuan*(496)
- Micro-structure analysis of mudstones in the Middle Permian Zhesi Formation in Solun area, Inner Mongolia *Li Shizhen, Zhou Xingui, Wang Dandan, Zhang Jiaodong, Lin Yanhua, Zeng Qunan, Zhang Wenhao*(502)
- Methane adsorption and sealing effects of shale: A case study of relict synclines in the southeastern Chongqing *Bao Yunjie, Deng Mo, Zhai Changbo, Liu Youxiang, Liu Junxiang, Yu Lingjie, Cao Taotao*(509)
- Petrographic methods to distinguish organic matter type in shale *Zhao Jianhua, Jin Zhijun, Jin Zhenkui, Du Wei, Wen Xin, Geng Yikai*(514)
- Lowest limit for the gas-bearing capacity of reservoirs in the eastern Sulige gas field, Ordos Basin *Chen Zhanjun, Ren Zhanli, Wang Shuhui, Liu Ping, Xue Fen, Deng Yaren, Qi Kai, Cao Zhanpeng*(521)
- Compaction factors of tight reservoirs in the seventh member of Yanchang Formation in the central Ordos Basin during the Late Triassic *Shi Baohong, Huang Jing, Chen Liu, Yang Fan, Liu Jianwen*(528)
- Movable oil and its controlling factors in tight sandstones: A Case study of the Triassic Chang7 reservoir, Yanchang Formation, Ordos Basin *Cui Jingwei, Zhu Rukai, Li Shixiang, Yang Zhi, Zhang Zhongyi*(536)
- Diagenesis and controlling factors of tight sandstone reservoirs: A case study of the lower member of Kepingtage Formation in Shuntuoguole area, Tarim Basin ... *Zhang Hanbing, Peng Jun, Yang Suju, Lu Ming, Xia Qingsong, Li Bin*(543)
- Petrophysical property limits of effective tight oil reservoirs in the lower part of the first member of Cretaceous Tengger Formation, A'nan Sag, Erlan Basin, North China *Zhang Yiming, Fu Xiaodong, Guo Yongjun, Shou Jianfeng, Zhou Jingao, Li Bin, Zhang Tianfu, Lan Baofeng*(551)

No.5

- Lithofacies Palaeogeography of the Middle Ordovician in the eastern North China Platform *Lin Yuxiang, Zhu Chuanzhen, Zhao Chengjin, Wu Yuchen, Li Jia, Li Xiuqin*(559)
- Problems with the fine description of reservoirs *Chen Huanqing, Shi Chengfang, Cao Chen*(569)
- Three factors controlling petroleum migration pathways: A case study of XJZ oilfield in the Gaoyou Sag, North Jiangsu Basin *Li Heyong, Tian Kun, Qiu Xuming, Liu Qidong, Liu Zhen, Song Liyan*(577)
- Basin structure and hydrocarbon accumulation conditions of the Weihe Basin *Liu Zhiwu, Bai Yong, Zhou Lifa*(584)
- Re-recognition of hydrocarbon accumulation regularity based on oilfield development data: A case study of the Guantao Formation in NB35-2 oilfield, Bohai Bay Basin *Quan Honghui, Chen Jianbo, Bie Xuwei, Zhang Zhang, Zhang Zhenjie*(592)

Reservoir characteristics and genesis of slope fans in Dongying delta front	Wang Weifeng, Hu Yu, Yu Zhengjun, Chen Jie, Shan Chenchen, Zhang Xiaojie(600)
Characteristics and controlling factors of Jurassic reservoirs in Chepaizi area, western Junggar Basin	Cao Yingchang, Jiang Wei, Wang Yanzhong, Jin Jiehua, Xu Tao, Xi Kelai, Chen Lin(609)
Formation conditions and development model of stratigraphic-lithologic traps in shelf break zone, Pearl River Mouth Basin; Zhujiang Formation as an example	Chen Weitao, Shi Hesheng, Du Jiayuan, He Min(619)
Segmentation characteristics and evolution of Xinanzhuang fault in Nanpu Sag, Bohai Bay Basin	Sun Simin, Ji Hancheng, Wang Jianwei, Zhang Hui, Chen Liang(628)
Petroleum geology features and accumulation controls for ultra-deep oil and gas reservoirs	Huang Juan, Ye Deliao, Han Yu(635)
Thermal evolution modeling of Neopaleozoic source rocks in Hangjinqi region, Ordos Basin	Zhao Guiping(641)
Geochemical characteristics and significance of bitumen of Ordovician outcrops at the southern margin of Ordos Basin	Jin Xiaohui, Sun Runxuan, Chen Xia, Sun Yipu, Zhang Juntao, Li Shujun(647)
Stable carbon isotope distribution patterns of kerogen and its derived hydrocarbons constrained by primary biomass	Liu Hu, Liao Zewen, Qi Minghui, Zhang Haizu, Du Junyan, Yang Shan(652)
Near-surface geochemical exploration in the Changde inorganic gas reservoir, Songliao Basin	Chen Yinjie, Tang Yuping, Huang Xin(659)
Hydrocarbon generation potential under different experimental conditions and its petroleum geology significance	Zhang Caiming, Zheng Lunju, Xu Jin(665)
Features and significance of rearranged hopanes in pyrolyzates of hydrocarbon source rocks	Chen Julin, Zhang Min(672)
Aromatic parameter reconstruction of crude oil maturity and its application in Hala' alate area	Guo Ruichao, Sui Fenggui, Zeng Zhiping, Wang Chao(679)
Analysis of organic acids in crude oil by comprehensive two-dimensional gas chromatography and time-of-flight mass spectrometry	Ma Yuanyuan, Jiang Qigui, Song Xiaoying, Qian Menhui, Liu Peng(685)
Determining the relative abundance of C ₂₆ -C ₂₈ triaromatic steroids in crude oils and its application in petroleum geochemistry	Zhang Baoshou, Li Meijun, Zhao Qing, Wang Tieguan, Zhang Ke, Xiao Zhongyao, Huang Shaoying(692)
Resource calculation methods for multilayer traps: Case study of two-layer traps	Yang Shuang, Yan Xiangbin, Liu Zhipeng, Cai Lixue, Ma Xiaojuan(698)

No.6

Differential characteristics of large-scale basin evolution and hydrocarbon response of clastic strata in central-western China	Fang Chengming, Huang Zeguanguang(703)
Marine basin reformations and accumulation factors in Lower Yangtze region	Luo Kaiping, Huang Zeguanguang, Li Junxiang, Peng Jinning, Lu Yongde, Zhou Lingfang(713)
Petroleum accumulation rules in hysterogenetic reconstructive-syngenic rift basins, North Jianguo Basin	Liu Yurui(721)
Adsorption capacity and controlling mechanisms of Paleozoic shales in Yangtze region	Xu Liangwei, Liu Luofu, Liu Zufu, Meng Zhaoping(732)
Differences of fracture characteristics and the influence on productivity in the northeastern Sichuan continental basin	Li Jingrong, Zhu Hua, Fen Xiaoming, Cheng Hongliang, Yan Xiao(742)
Characteristics of natural fractures and their influence on dynamic gas and water distribution in Xinchang gas field	Wang Dandan, Li Hao, Zhao Xiangyuan, Ji Mingyan(748)
Main controls on the distribution of the 3rd member of Liushagang Formation in eastern Wushi Sag, Beibu Gulf Basin	Zeng Xiaoming, Zou Mingsheng, Zhang Hui, Yu Jia, Chen Xiaowu, Mo Fengyang(757)
Differential tectonic deformation and dynamic processes in Caohu area, northeastern Tarim Basin	Tian Mi, Zhao Yongqiang, Luo Yu, Ma Yuchun, Zhou Yushuang, Zhang Genfa(765)
Mineral and genesis study of authigenic aragonite in sucrosic dolomites from Middle Jurassic Buqu Formation in southern Qiangtang Basin, Tibet	Zhang Shuai, Yi Haisheng, Xia Guoqing, Liang Dingyong(772)
Main controlling factors for carbonate rock distribution on the southern slope of Chechen Sag, Bohai Bay Basin	Lin Hongmei(779)
Development and controlling factors of Neogene reefs in Xisha sea area	Yang Zhen, Zhang Guangxue, Zhang Li, Xia Bin(787)
Sequence stratigraphic research of volcanic and clastic sediment basins: A case study of Changling Fault Depression in Songliao Basin	Wang Miao, Lu Jianlin, Zuo Zongxin, Wang Baohua, Li Hao, Zhang Yanxia(796)
Formation conditions of deep hydrocarbon in Junggar Basin, NW China	Bai Hua, Pang Xiongqi, Kuang Lichun, Pang Hong, Pang Ying, Zhou Liming(803)
Controlling effect of normal drag structure on the internal reservoir architecture in an alluvial fan	Yin Senlin, Wu Shenghe, Hu Zhangming, Wu Xiaojun, Chen Yanhui, Ren Xiang(811)
Petroleum geology characteristics and exploration directions in Espirito Santo Basin, Brazil	Xie Huafeng, Zhou Shengyou, Hui Guanzhou(821)
Differences and controls of carbon and oxygen isotope composition in dolomite and coexisting calcite under deposition conditions	Li Xiaoning, Huang Sijing, Huang Keke, Zhong Yijiang, Hu Zuwei(828)
Experimental analysis of aquathermal pressuring under high temperature conditions and its geological implications	Guo Zhifeng, Liu Zhen, Liu Peng, Liu Wanchun(836)
Quantitative characterization of shale oil in different occurrence states and its application	Jiang Qigui, Li Maowen, Qian Menhui, Li Zhiming, Li Zheng, Huang Zhenkai, Zhang Caimin, Ma Yuanyuan(842)
Influence of bulk volume measurement on porosity error in tight reservoir core plug analysis	Chen Siyu, Tian Hua, Liu Shaobo, Li Caixi, Hao Jiaqing, Zheng Yongping(850)